

DeReeler

A manual loading and unloading unreeling machine which can process a range of wire rope in a variety of diameters.

Key Features

- Made in the U.K
- Manual reel loading and unloading
- Large reel capacity



Gripple Automation Ltd Unit 24, Orgreave Place Dorehouse Industrial Estate Sheffield, S13 9LU

info@grippleautomation.com +44 (0) 114 5536250

A




Discover our wire unreeling unit. It can process a range of wires

	04 - 05
Can Do	06
	07
engineers	08
S	00

Product Focus

The Gripple Automation DeReeler is a cost-effective solution to handle wire rope of varying diameters.

A manual unreeling unit, which can process a range of wires to suit your needs. It seamlessly integrates with other downstream production equipment, including our Kick Out Tray to improve your production efficiency.



technical set up please email:

info@grippleautomation.com

Key

- 1 Drum reel motor
- 2 Manual controls
- **3** Hydraulic lifting unit
- 4 Manual loading point capable of holding 1000kg of weight
- **5** Wheels for ease of movement around production area
- 6 Pay off speed control arm controls the dereeling motor and speed
- 7 Safety guard

Standard DeReeler

Contact us today to learn more!

Are you a manufacturer searching for a cost-effective solution to handle wire rope of varying diameters?

Gripple Automation have designed a manual unreeling unit, which can process a range of wires to suit your needs.

Key Features

- Cost effective Simple design allows for low investment and running costs.
- Operator friendly Straight forward button control and easily manoeuvrable
- Safe and reliable Protective safety guarding



The DeReeler is capable of handling wire reels weighing up to 1000kg with diameters of up to 10 millimetres.



The DeReeler can process approximately 1 meter of wire per second, depending on the reel size.



The DeReeler seemlessly integrates with other downstream production equipment, including our Kick Out Tray to improve your producion efficiency.

For more information on technical set up please email:

info@grippleautomation.com

Quality Guarantee

All our machines are developed and manufactured in-house at our site in Sheffield, England.

Gripple Automation is a 100% employee owned company, meaning all our people own shares in the business.

Giving all our people direct responsibility and encouraging active participation across every area of the business ensures we're empowering everyone to drive improvements, and ultimately, the business' success directly affects us all.

Having engaged owners across every department of the business gives a commitment to the quality of our product and service offering that our competitors simply can't match.

We're all working towards the same targets, and we all benefit when we meet them, so the focus on maintaining high standards is consistent at all levels.

The DeReelers are built for durability and are the result of continuously developing our products for our parent company Gripple Ltd who process 58 Million meters of wire through our machines every year.

The key role we play in developing machines for Gripple means we constantly strive to innovate and deliver efficient solutions to our customers. Our design together with our understanding of the needs of a wire solutions manufacturer gives these machines an edge you won't find with competitors.



Get to know our engineers

At Gripple Automation, our team of highly trained engineers have a unique blend of skills and experience that have been instrumental in the development of our wire rope machines.

Our teams hands-on experience enable us to create innovative solutions that meet the needs of our customers.

Thanks to our teams expertise and dedication, our wire rope machines are second to none. From our Wire Rope Annealing Machine to our Enhanced and XL DeReelers, each product is designed with efficiency, reliability, and ease of use in mind. And with the teams ongoing involvement in our product development, you can trust that Gripple Automation will continue to lead the way in the wire industry for years to come.

It's in all our best interests to keep striving, delivering, and improving



Failure to comply with these recommendations may result in product malfunction and possible damage to property or person and will invalidate the Gripple Automation guarantee.

Gripple Automation machines are guaranteed to be free from defects in materials and workmanship in accordance with our terms and conditions. No other warranty, whether express or implied, including any warranty of merchantability or fitness for purpose shall exist in connection with the sale or use of any Gripple Automation machine.

These Key Recommendations may be amended from time to time; please contact one of your team at **sales@grippleautomation.com** for more information.

Please adhere to the following usage recommendations:

Loading

To keep the machine running at optimal efficiencies you must ensure that the maximum drum weight and width is not exceeded. By following this recommendation and preventative maintenance, the machine will achieve reliable output and minimal downtime.

Storing

Do not store the machine outdoors, or in damp or abnormal conditions.

Repair, Modification and Re-use

Do not repair, modify or re-use Gripple Automation machines. If you have any queries regarding product performance, please contact **info@grippleautomation.com**

Gripple Automation's policy is one of continuous development and innovation. We therefore reserve the right to alter specifications without notice.





Gripple Automation Ltd Unit 24, Orgreave Place Dorehouse Industrial Estate Sheffield, S13 9LU

info@grippleautomation.com +44 (0) 114 5536250